

CERTIFICATE OF CONFORMITY

ITB-1428/W

It has been stated that:

**Fire gates:
sliding MARC-P, two-way sliding MARC-R and vertically sliding MARC-O
with or without doors**

designed to be used as closing of openings in internal and external vertical walls,
in the scope and according to the conditions described in p. 2 of the AT-15-5023/2015

with fire resistance classes:

- EI₂120 – for gates: MARC-P EI120, MARC-Pt EI120, MARC-R EI120, MARC-O EI120 and MARC-Ot EI120
- EI₂60 – for gates: MARC-P EI60, MARC-Pt EI60, MARC-R EI60, MARC-O EI60 and MARC-Ot EI60
- EI₂30 – for gates: MARC-P EI30, MARC-Pt EI30, MARC-R EI30, MARC-O EI30 and MARC-Ot EI30

according to PN-EN 13501-2 + A1: 2010, made as described in sections No. 1.2., 1.3. or 1.4. AT-15-5023/2015

Fire resistance of single door MARC-DB, installed in gates:

- EI₂120 – for door MARC-DB EI120, made as described in section No. 1.2.1. AT-15-5023/2015
- EI₂60 – for door MARC-DB EI60, made as described in section No. 1.2.2. AT-15-5023/2015

placed on the market and produced by:

**MAŁKOWSKI-MARTECH S.A.
Konarskie, ul. Kórnicka 4
62-035 Kórnik**

in the factory:

**MAŁKOWSKI-MARTECH S.A.
Konarskie, ul. Kórnicka 4
62-035 Kórnik**

fulfill the requirements described in:

Technical Approval No. AT-15-5023/2015

The manufacturer has implemented a factory production control and carries out further testing of samples taken at the factory in accordance with a prescribed test plan.

The Certification Department of ITB has performed the initial type-testing and the initial inspection of the factory and of the factory production control and performs the continuous surveillance, assessment and approval of the factory production control.

This certificate is required in the attestation of conformity system 1, in compliance with the Ordinance of the Minister of Infrastructure of 11 August 2004 *on the Ways of Declaring Conformity of Construction Products and Ways of Labelling Them with The Construction Mark* (Journal of Laws No 198 item 2041 with amendments).

The certificate of conformity no. ITB-1428/W was issued for the first time on 30.11.2005. This certificate (updated on 31.01.2012, 27.03.2012, 17.07.2012, 01.10.2012 and 25.03.2015) may be applicable only to the products that fulfill the requirements of the reference document. This certificate is valid until 06.03.2020, provided that technical specification is valid and the following are not modified significantly: the product type, the manufacturing plant and manufacturing conditions or the factory production control.

HEAD
of the Certification Department



M.Sc. Eng. Barbara Dobosz



Warsaw, 25.03.2015

MANAGING DIRECTOR
of the Building Research Institute



Dr. Eng. Marcin M. Kruk

STATYBOS TYRIMŲ INSTITUTAS

SERTIFIKAVIMO SKYRIUS

Ul. Filtrowa 1, 00-611 Varšuva, Lenkija
Tel. + 48 (22) 57 96 167, +48 (22) 57 96 168, fax. +48 (22) 57 96 295
El. paštas: certyfikacja@itb.pl, www.itb.pl

ATITIKTIES SERTIFIKATAS

ITB-1428/W

Nustatyta, kad:

Priešgaisriniai vartai:

Slenkantys MARC-P, slenkantys į abi puses MARC-R ir vertikalieji slenkantys MARC-O su durimis arba be durų

suprojektuotas naudoti kaip angų uždarymas vidinėse ir išorinėse vertikaliosiose sienose, pagal taikymo sritį ir pagal sąlygas, aprašytas p. 2 iš AT – 15 – 5023/2015

atitinkantys tokias atsparumo ugniai klases:

- EI₂120 – vartams: MARC-P EI120, MARC-Pt EI120, MARC-R EI120, MARC-O EI120 ir MARC-Ot EI120
- EI₂60 – vartams: MARC-P EI60, MARC-Pt EI60, MARC-R EI60, MARC-O EI60 ir MARC-Ot EI60
- EI₂30 – vartams: MARC-P EI30, MARC-Pt EI30, MARC-R EI30, MARC-O EI30 ir MARC-Ot EI30

pagal PN-EN 13501-2 + A1: 2010, pagaminti kaip apibūdinta skyriuose Nr. 1.2., 1.3. ar 1.4. AT-15-5023/2015

Vienos varčios durų MARC-DB, sumontuotų vartuose, atsparumas ugniai:

- EI₂120 – durims MARC-DB EI120, pagamintos kaip apibūdinta skyriuose Nr. 1.2.1. AT-15-5023/2015
- EI₂60 – durims MARC-DB EI60, pagamintos kaip apibūdinta skyriuose Nr. 1.2.2. AT-15-5023/2015

Pateikti į rinką ir pagaminti:

MALKOWSKI-MARTECH S.A.

Konarskie ul. Kornicka 4

62-035 Kornik

Gamykloje:

MALKOWSKI-MARTECH S.A.

Konarskie ul. Kornicka 4

62-035 Kornik

Atitinka reikalavimus pateiktus:

Techniniame liudijime Nr. AT-15-5023/2015

Gamintojas įdiegė vidinę gamybos kontrolę ir vykdo tolesnius testavimus pavyzdžių, paimtų gamykloje, pagal numatytą bandymų planą.

ITB Sertifikavimo skyrius atliko pirminius bandymus ir pradinius gamyklos ir jos produkcijos kontrolės patikrinimus ir vykdo nuolatinę gamyklos produkcijos kontrolės priežiūrą, vertinimą ir patvirtinimus.

Šio sertifikato yra reikalaujama atitikties patvirtinimo sistemoje 1, laikantis Infrastruktūros Ministerijos 2004 metų rugpjūčio 11 d. nutarimo dėl statybos produktų atitikties deklaravimo ir jų ženklavimo Statybos ženklais būdų (Istatymų žurnalas Nr. 198, punktas 2041 su pakeitimais).

Atitikties sertifikatas Nr. ITB-1428/W pirmą kartą buvo išduotas 2005.11.30. Šis sertifikatas (atnaujintas 2012.01.31, 2012.03.27, 2012.07.17, 2012.10.01 ir 2015.03.25) gali būti taikomas tik tiems produktams, kurie atitinka patvirtinančio dokumento reikalavimus. Šis sertifikatas galioja iki 2020.03.06 su sąlyga, kad techninė specifikacija galioja ir šie reikalavimai reikšmingai nepakitę: produkto tipas, gaminimo sąlygos ar gamyklos produkcijos kontrolė.

Sertifikavimo departamento vadovė

Barbara Dobosz

Statybos tyrimų instituto direktorius

Jan Bobrowicz

Varšuva, 2015.03.25